

Contents

No. 1 – 1–110 issued 8 July 1994
 No. 2 – 111–218 issued 25 July 1994
 No. 3 – 219–330 issued 2 August 1994
 No. 4 – 331–450 issued 15 August 1994
 No. 5 – 451–562 issued 1 September 1994
 No. 6 – 563–672 issued 28 September 1994

- Abel WO → Reski R 352
 Afsar K → Mittelsten Scheid O 325
 Altenbuchner J → Piendl W 439
 Ambros PF → Matzke AJM 219
 Angell S, Lewis CG, Buttner MJ, Bibb MJ
 : Glucose repression in *Streptomyces coelicolor* A3 (2): a likely regulatory role for glucose kinase 135
 Arned KR → Pedersen ML 374
 Aspuria ET → Yokoyama R 15
 Atkinson PW → O'Brochta DA 9
 Barnard KG → Kogoma T 557
 Bergeron H → Lau PCK 167
 Berloco M → Fanti L 588
 Bernard P → Salmon MA 530
 Bertauche N → Nasr F 23
 Bibb MJ → Angell S (2) 135
 Binder S, Marchfelder A, Brennicke A:
 RNA editing of tRNA^{Phe} and tRNA^{Cys}
 in mitochondria of *Oenothera berteriana*
 is initiated in precursor molecules 67
 Bögre L → Pay A 176
 Bolstad AI, Tommassen J, Jensen HB: Se-
 quence variability of the 40-kDa outer
 membrane proteins of *Fusobacterium*
nucleatum strains and a model for the to-
 pology of the proteins 104
 Brand R → Hochstenbach R 653
 Brennicke A → Binder S 67
 Brennicke A → Gäbler L 33
 Brock HW → McKeon J 474
 Brousseau R → Lau PCK 167
 Bugaj B → Radice AD 606
 Büldt G → Lang-Hinrichs C 183
 Buttner MJ → Angell S (2) 135
 Calil MR → Verdoes JC 75
 Carvajal E → Delaveau T 501
 Chartrand P → Mazin A 435
 Chen L → Huang C 151
 Chen XH, Xiao Z, Fitzgerald-Hayes M:
 SCM2, a tryptophan permease in *Sac-*
charomyces cerevisiae, is important for
 cell growth 260
 Cheng N → McKeon J 474
 Choi SH, Leach JE: Identification of the
XorII methyltransferase gene and a *usr*
 homolog from *Xanthomonas oryzae* pv.
oryzae 383
 Cibert C → Jacquemin-Faure I 519
 Clegg S → Swenson DL 216
 Coe JGS, Murray LE, Dawes IW: Identifi-
 cation of a sporulation-specific promoter
 regulating divergent transcription of two
 novel sporulation genes in *Saccharo-*
myces cerevisiae 661
 Conklin DS, Culbertson MR, Kung C: In-
 teractions between gene products in-
 volved in divalent cation transport in
Saccharomyces cerevisiae 303
 Cooksey DA → Mills SD 341
 Couling M → McKeon J 474
 Courtney-Gutterson N → Robbins TP
 491
 Couturier M → Salmon MA 530
 Culbertson MR → Conklin DS 303
 Cullum J → Piendl W 439
 Davis MA → Williams RSB 1
 Dawes IW → Coe JGS 661
 Debets F → Verdoes JC 75
 Dehio M → Oellers N 465
 Delahodde A → Delaveau T 501
 Delaveau T, Delahodde A, Carvajal E, Su-
 bik J, Jacq C: *PDR3*, a new yeast regula-
 tory gene, is homologous to *PDR1* and
 controls the multidrug resistance phe-
 nomenon 501
 Derksen ACE → Pieterse CMJ 269
 Devoret R → Mazin A 435
 Domon C, Steinmetz A: Exon shuffling in
 anther-specific genes from sunflower
 312
 Dufour M-E → Nasr F 23
 Durr A → Genschik P 548
 Dutta S → Kotani H 410
 Ehrenhofer-Murray AE, Würgler FE,
 Sengstag C: The *Saccharomyces cerevi-*
siae SGE1 gene product: a novel drug-
 resistance protein within the major faci-
 litor superfamily 287
 Eichenseer C → Piendl W 439
 Emmons SW → Radice AD 606
 Fanti L, Berloco M, Pimpinelli S: Carnitine
 suppression of position-effect variegation
 in *Drosophila melanogaster* 588
 Faust M → Reski R 352
 Ferrero I → Lodi T 622
 Fitch DHA → Radice AD 606
 Fitzgerald-Hayes M → Chen XH 260
 Fleck J → Genschik P 548
 Folders J → Pieterse CMJ 269
 Forghani F → Lau PCK 167
 Fujil N → Yokoyama R 15
 Gäbler L, Herz U, Liddell A, Leaver CJ,
 Schröder W, Brennicke A, Grohmann L:
 The 42.5 kDa subunit of the NADH:
 ubiquinone oxidoreductase (complex I)
 in higher plants is encoded by the mito-
 chondrial nad7 gene 33
 Gallusci P, Salamini F, Thompson RD:
 Differences in cell type-specific expres-
 sion of the gene *Opaque 2* in maize and
 transgenic tobacco 391
 Garre V, Murillo FJ, Torres-Martínez S:
 Isolation of the *facA* (acetyl-CoA synthe-
 tase) gene of *Phycomyces blakesleeana*
 278
 Genschik P, Durr A, Fleck J: Differential
 expression of several E2-type ubiquitin
 carrier protein genes at different develop-
 mental stages in *Arabidopsis thaliana* and
Nicotiana sylvestris 548
 Glass NL, Smith ML: Structure and func-
 tion of a mating-type gene from the ho-
 mothallic species *Neurospora africana*
 401
 Glavin TL, Goring DR, Schafer U, Roth-
 stein SJ: Features of the extracellular do-
 main of the S-locus receptor kinase from
Brassica 630
 Goffrini P → Lodi T 622
 Goldfarb A → Severinov K 120
 Goring DR → Glavin TL 630
 Govers F → Pieterse CMJ 269
 Grohmann L → Gäbler L 33
 Gunkel D → Werner-Grüne S 144
 Hagemann S, Miller WJ, Pinsker W: Two
 distinct P element subfamilies in the ge-
 nome of *Drosophila bifasciata* 168
 Harper JF, Manney L, Sussman MR: The
 plasma membrane H⁺-ATPase gene
 family in *Arabidopsis*: genomic sequence
 of *AHA10* which is expressed primarily
 in developing seeds 572
 Harrison K → Scofield SR 189
 Hasegawa K → Oghihara Y 253
 Hashimoto H → Inokoshi J 90
 Hauber J → Magdolen V 646
 Hayashi K → Munakata N 97
 Hayashida N → Urao T 331
 Hazan B → Navon A 160
 Heberle-Bors E → Pay A 176
 Hennig W → Hochstenbach R 653
 Herz U → Gäbler L 33
 Heslop-Harrison JS → Kamm A 420
 Hildebrandt V → Lang-Hinrichs C 183
 Hirose T, Sugita M, Sugiura M: Character-
 ization of a cDNA encoding a novel type
 of RNA-binding protein in tobacco: its
 expression and nucleic acid-binding
 properties 360
 Hirose T → Yokoyama R 15
 Hirt H → Magdolen V 646
 Hirt H → Pay A 176
 Hochstenbach R, Brand R, Hennig W:
 Transcription of repetitive DNA se-
 quences in the lampbrush loop pair
Nooses formed by sterile alleles of ferti-
 lity gene *Q* on the Y chromosome of *Dro-*
sophila hydei 653
 Hölte HJ → Lau PCK 167
 Hondel CAMJJ van den → Verdoes JC
 75
 Hong X → Kogoma T 557
 Howlett BJ → Williams RSB 1
 Huang C, Wang S, Chen L, Lemieux C,
 Otis C, Turmel M, Liu X-Q: The *Chla-*
mydomonas chloroplast *clpP* gene con-

- tains translated large insertion sequences and is essential for cell growth 151
- Hunt GJ, Page RE Jr: Linkage analysis of sex determination in the honey bee (*Apis mellifera*) 512
- Ikedo H → Tatebayashi K 111
- Inokoshi J, Tomoda H, Hashimoto H, Watanabe A, Takeshima H, Omura S: Cerulenin-resistant mutants of *Saccharomyces cerevisiae* with an altered fatty acid synthase gene 90
- Ishiguro S, Nakamura K: Characterization of a cDNA encoding a novel DNA-binding protein, SPF1, that recognizes SP8 sequences in the 5' upstream regions of genes coding for sporamin and β -amylase from sweet potato 563
- Itoh T → Takechi S 49
- Itoh T → Yasueda H 41
- Jacq C → Delaveau T 501
- Jacquemin-Faure I, Thomas D, Laporte J, Cibert C, Surdin-Kerjan Y: The vacuolar compartment is required for sulfur amino acid homeostasis in *Saccharomyces cerevisiae* 519
- Jenkin M → Robbins TP 491
- Jensen HB → Bolstad AI 104
- Johansen E → Pedersen ML 374
- Jones DA → Scofield SR 189
- Jones JDG → Scofield SR 189
- Jürgens G → Miséra S 242
- Kamm A, Schmidt T, Heslop-Harrison JS: Molecular and physical organization of highly repetitive, undermethylated DNA from *Pennisetum glaucum* 420
- Kassir Y → Navon A 160
- Katagiri T → Urao T 331
- Kataoka K → Ogata Y 451
- Kato A → Yokoyama R 15
- Kato J-i → Tatebayashi K 111
- Keim P → Zhu T 638
- Kessler B, Timmis KN, Lorenzo V de: The organization of the *Pm* promoter of the TOL plasmid reflects the structure of its cognate activator protein XylS 596
- Kim J-K → Tanida I 127
- Kim K-J → Swenson DL 216
- Kitamura K → Maekawa H 456
- Klier H → Magdolen V 646
- Klink F → Magdolen V 646
- Kmiec EB → Kotani H 410
- Knust E → Oellers N 465
- Kogoma T, Barnard KG, Hong X: RecA, Tus protein and constitutive stable DNA replication in *Escherichia coli rnhA* mutants 557
- Kotani H, Sekiguchi JM, Dutta S, Kmiec EB: Genetic recombination of nucleosomal templates is mediated by transcription 410
- Kung C → Conklin DS 303
- Kurapati R → Tower J 484
- Labbé D → Lau PCK 167
- Lacroute F → Nasr F 23
- Lang-Hinrichs C, Queck I, Büldt G, Stahl U, Hildebrandt V: The archaeobacterial membrane protein bacterio-opsin is expressed and N-terminally processed in the yeast *Saccharomyces cerevisiae* 183
- Laporte J → Jacquemin-Faure I 519
- Lau PCK, Forghani F, Labbé D, Bergeron H, Brousseau R, Hölte HJ: The *NlaIV* restriction and modification genes of *Neisseria lactamica* are flanked by leucine biosynthesis genes 167
- Leach JE → Choi SH 383
- Leaver CJ → Gäbler L 33
- Lech AJ → Stroether UH 295
- Lemieux C → Huang C 151
- Lewis CG → Angell S (2) 135
- Liddell A → Gäbler L 33
- Lim C-K → Mills SD 341
- Liu X-Q → Huang C 151
- Lodi T, O'Connor D, Goffrini P, Ferrero I: Carbon catabolite repression in *Kluyveromyces fragilis*: isolation and characterization of the *KIDL* gene encoding the mitochondrial enzyme D-lactate ferriytochrome c oxidoreductase 622
- Lorenzo V de → Kessler B 596
- Lottspeich F → Magdolen V 646
- Lu A-L → Tsai-Wu J-J 444
- Luo Y, Ullrich RC, Novotny CP: Only one of the paired *Schizophyllum commune* *Ax* mating-type, putative homeobox genes encodes a homeodomain essential for *Ax*-regulated development 318
- Maekawa H, Nakagawa T, Uno Y, Kitamura K, Shimoda C: The *ste13⁺* gene encoding a putative RNA helicase is essential for nitrogen starvation-induced G1 arrest and initiation of sexual development in the fission yeast *Schizosaccharomyces pombe* 456
- Magdolen V, Klier H, Wöhl T, Klink F, Hirt H, Hauber J, Lottspeich F: The function of the hypusine-containing proteins of yeast and other eukaryotes is well conserved 646
- Manney L → Harper JF 572
- Manning PA → Stroether UH 295
- Marchfelder A → Binder S 67
- Marines F, White DWR: The *NocR* repressor-activator protein regulates expression of the *nocB* and *nocR* genes of *Agrobacterium tumefaciens* 367
- Martin GB → Zhang H-B 613
- Matzke AJM, Neuhuber F, Park Y-D, Ambros PF, Matzke MA: Homology-dependent gene silencing in transgenic plants: epistatic silencing loci contain multiple copies of methylated transgenes 219
- Matzke AJM → Neuhuber F 230
- Matzke MA → Matzke AJM 219
- Matzke MA → Neuhuber F 230
- Mazin A, Milot E, Devoret R, Chartrand P: KIN17, a mouse nuclear protein, binds to bent DNA fragments that are found at illegitimate recombination junctions in mammalian cells 435
- McKeon J, Slade E, Sinclair DAR, Cheng N, Couling M, Brock HW: Mutations in some *Polycomb* group genes of *Drosophila* interfere with regulation of segmentation genes 474
- Miki T → Ogata Y 451
- Miller WJ → Hagemann S 168
- Mills SD, Lim C-K, Cooksey DA: Purification and characterization of CopR, a transcriptional activator protein that binds to a conserved domain (*cop* box) in copper-inducible promoters of *Pseudomonas syringae* 341
- Milot E → Mazin A 435
- Minet M → Nasr F 23
- Miséra S, Müller AJ, Weiland-Heidecker U, Jürgens G: The *FUSCA* genes of *Arabidopsis*: negative regulators of light responses 242
- Mittelsten Scheid O, Afsar K, Paszkowski J: Gene inactivation in *Arabidopsis thaliana* is not accompanied by an accumulation of repeat-induced point mutations 325
- Mizoguchi T → Urao T 331
- Mizushima T → Ogata Y 451
- Morohoshi F → Munakata N 97
- Müller AJ → Miséra S 242
- Munakata N, Morohoshi F, Saitou M, Yamazaki N, Hayashi K: Molecular characterization of thirteen *gyrA* mutations conferring nalidixic acid resistance in *Bacillus subtilis* 97
- Murakoshi I → Noji M 57
- Murillo FJ → Garre V 278
- Murray LE → Coe JGS 661
- Nakagawa T → Maekawa H 456
- Nakamura K → Ishiguro S 563
- Nasr F, Bertauche N, Dufour M-E, Minet M, Lacroute F: Heterospecific cloning of *Arabidopsis thaliana* cDNAs by direct complementation of pyrimidine auxotrophic mutants of *Saccharomyces cerevisiae*. I. Cloning and sequence analysis of two cDNAs catalysing the second, fifth and sixth steps of the de novo pyrimidine biosynthesis pathway 23
- Navon A, Schwarz Y, Hazan B, Kassir Y, Nir U: Meiosis-dependent tyrosine phosphorylation of a yeast protein related to the mouse p51^{fer1} 160
- Neuhuber F, Park Y-D, Matzke AJM, Matzke MA: Susceptibility of transgene loci to homology-dependent gene silencing 230
- Neuhuber F → Matzke AJM 219
- Nikiforov V → Severinov K 120
- Nir U → Navon A 160
- Noji M, Murakoshi I, Saito K: Molecular cloning of a cysteine synthase cDNA from *Citrullus vulgaris* (watermelon) by genetic complementation in an *Escherichia coli* Cys auxotroph 57
- Novotny CP → Luo Y 318
- O'Brochta DA, Warren WD, Saville KJ, Atkinson PW: Interplasmid transposition of *Drosophila hobo* elements in non-drosophilid insects 9
- O'Connor D → Lodi T 622
- Oellers N, Dehio M, Knust E: bHLH proteins encoded by the *Enhancer of split* complex of *Drosophila* negatively interfere with transcriptional activation mediated by proneural genes 465
- Ogata Y, Mizushima T, Kataoka K, Miki T, Sekimizu K: Identification of DNA topoisomerases involved in immediate and transient DNA relaxation induced by heat shock in *Escherichia coli* 451
- Ogihara Y, Hasegawa K, Tsujimoto H: High-resolution cytological mapping of the long arm of chromosome 5A in common wheat using a series of deletion lines induced by gametocidal (Gc) genes of *Aegilops speltoides* 253

- Oliphant A → Zhu T 638
 Omura S → Inokoshi J 90
 Otis C → Huang C 151
 Page RE Jr → Hunt GJ 512
 Park Y-D → Matzke AJM 219
 Park Y-D → Neuhuber F 230
 Paszkowski J → Mittelsten Scheid O 325
 Pay A, Pirck M, Bögre L, Hirt H, Heberle-Bors E: Isolation and characterization of phosphoprotein phosphatase 1 from alfalfa 176
 Pedersen ML, Arnved KR, Johansen E: Genetic analysis of the minimal replicon of the *Lactococcus lactis* subsp. *lactis* biovar *diacetylactis* citrate plasmid 374
 Piendl W, Eichenseer C, Viel P, Altenbuchner J, Cullum J: Analysis of putative DNA amplification genes in the element AUDI of *Streptomyces lividans* 66 439
 Pieterse CMJ, Derksen ACE, Folders J, Govers F: Expression of the *Phytophthora infestans* *ipiB* and *ipiO* genes in planta and in vitro 269
 Pimpinelli S → Fanti L 588
 Pinsker W → Hagemann S 168
 Pirck M → Pay A 176
 Pompa JL de la: Functional interactions between the gene *tetanic* and the *Shaker* gene complex of *Drosophila* 205
 Pompa JL de la: Functional relationships between genes of the *Shaker* gene complex of *Drosophila* 197
 Prade RA, Timberlake WE: The *Penicillium chrysogenum* and *Aspergillus nidulans* *wetA* developmental regulatory genes are functionally equivalent 539
 Punt PJ → Verdoes JC 75
 Queck I → Lang-Hinrichs C 183
 Radice AD, Bugaj B, Fitch DHA, Emmons SW: Widespread occurrence of the Tc1 transposon family: Tc1-like transposons from teleost fish 606
 Reski R, Faust M, Wang X-H, Wehe M, Abel WO: Genome analysis of the moss *Physcomitrella patens* (Hedw.) B.S.G. 352
 Robbins TP, Jenkin M, Courtney-Gutterson N: Enhanced frequency of transposition of the maize transposable element *Activator* following excision from T-DNA in *Petunia hybrida* 491
 Rothstein SJ → Glavin TL 630
 Saint R → Tearle R 426
 Saito K → Noji M 57
 Saitou M → Munakata N 97
 Salamini F → Gallusci P 391
 Salmon MA, Van Melder L, Bernard P, Couturier M: The antidote and autoregulatory functions of the F plasmid *CcdA* protein: a genetic and biochemical survey 530
 Saville KJ → O'Brochta DA 9
 Schafer U → Glavin TL 630
 Schmidt T → Kamm A 420
 Schröder W → Gäbler L 33
 Schuhmann J → Werner-Grüne S 144
 Schupp JM → Zhu T 638
 Schwarz Y → Navon A 160
 Scofield SR, Jones DA, Harrison K, Jones JDG: Chloroplast targeting of spectinomycin adenyltransferase provides a cell-autonomous marker for monitoring transposon excision in tomato and tobacco 189
 Sekiguchi JM → Kotani H 410
 Sekimizu K → Ogata Y 451
 Sengstag C → Ehrenhofer-Murray AE 287
 Severinov K, Soushko M, Goldfarb A, Nikiforov V: Rif^R mutations in the beginning of the *Escherichia coli* *rpoB* gene 120
 Shimoda C → Maekawa H 456
 Shinozaki K → Urao T 331
 Sinclair DAR → McKeon J 474
 Six EW → Swenson DL 216
 Slade E → McKeon J 474
 Smith ML → Glass NL 401
 Sushko M → Severinov K 120
 Stahl U → Lang-Hinrichs C 183
 Steinmetz A → Domon C 312
 Stouthamer AH → Verdoes JC 75
 Strocher UH, Lech AJ, Manning PA: Gene sequence of *recA*⁺ and construction of *recA* mutants of *Vibrio cholerae* 295
 Strotmann H → Werner-Grüne S 144
 Subik J → Delaveau T 501
 Sugita M → Hirose T 360
 Sugiura M → Hirose T 360
 Sugiyama T → Yasueda H 41
 Surdin-Kerjan Y → Jacquemin-Faure I 519
 Sussman MR → Harper JF 572
 Swart K → Verdoes JC 75
 Swenson DL, Kim K-J, Six EW, Clegg S: The gene *fimU* affects expression of *Salmonella typhimurium* type 1 fimbriae and is related to the *Escherichia coli* tRNA gene *argU* 216
 Takechi S, Yasueda H, Itoh T: Control of ColE2 plasmid replication: regulation of Rep expression by a plasmid-coded antisense RNA 49
 Takechi S → Yasueda H 41
 Takeshima H → Inokoshi J 90
 Tanida I, Kim J-K, Wu R: Functional dissection of a rice high-pl α -amylase gene promoter 127
 Tanksley SD → Zhang H-B 613
 Tatebayashi K, Kato J-i, Ikeda H: Structural analyses of DNA fragments integrated by illegitimate recombination in *Schizosaccharomyces pombe* 111
 Tearle R, Tomlinson A, Saint R: The dominant *Drosophila* *Drop eye* mutations of *Drosophila melanogaster* define two loci implicated in normal eye development 426
 Thomas D → Jacquemin-Faure I 519
 Thompson RD → Gallusci P 391
 Timberlake WE → Prade RA 539
 Timmis KN → Kessler B 596
 Tomlinson A → Tearle R 426
 Tommassen J → Bolstad AI 104
 Tomoda H → Inokoshi J 90
 Torres-Martinez S → Garre V 278
 Tower J, Kurapati R: Preferential transposition of a *Drosophila* P element to the corresponding region of the homologous chromosome 484
 Tsai-Wu J-J, Lu A-L: *Escherichia coli* *mutY*-dependent mismatch repair involves DNA polymerase I and a short repair tract 444
 Tsujimoto H → Ogihara Y 253
 Turmel M → Huang C 151
 Uchimlya H → Yokoyama R 15
 Ullrich RC → Luo Y 318
 Uno Y → Maekawa H 456
 Urao T, Katagiri T, Mizoguchi T, Yamaguchi-Shinozaki K, Hayashida N, Shinozaki K: Two genes that encode Ca²⁺-dependent protein kinases are induced by drought and high-salt stresses in *Arabidopsis thaliana* 331
 Van Melder L → Salmon MA 530
 Verdoes JC, Calil MR, Punt PJ, Debets F, Swart K, Stouthamer AH, Hondel CAMJJ van den: The complete karyotype of *Aspergillus niger*: the use of introduced electrophoretic mobility variation of chromosomes for gene assignment studies 75
 Viel P → Piendl W 439
 Wang S → Huang C 151
 Wang X-H → Reski R 352
 Warren WD → O'Brochta DA 9
 Watanabe A → Inokoshi J 90
 Wehe M → Reski R 352
 Weiland-Heidecker U → Miséra S 242
 Werner-Grüne S, Gunkel D, Schuhmann J, Strotmann H: Insertion of a "chloroplast-like" regulatory segment responsible for thiol modulation into γ -subunit of F₀F₁-ATPase of the cyanobacterium *Synechocystis* 6803 by mutagenesis of *atpC* 144
 White DWR → Marincs F 367
 Williams RSB, Davis MA, Howlett BJ: Nitrate reductase of the ascomycetous fungus, *Leptosphaeria maculans*: gene sequence and chromosomal location 1
 Wing RA → Zhang H-B 613
 Wöhl T → Magdolen V 646
 Wu R → Tanida I 127
 Würzler FE → Ehrenhofer-Murray AE 287
 Xiao Z → Chen XH 260
 Yamaguchi-Shinozaki K → Urao T 331
 Yamazaki N → Munakata N 97
 Yasueda H, Takechi S, Sugiyama T, Itoh T: Control of ColE2 plasmid replication: negative regulation of the expression of the plasmid-specified initiator protein, Rep, at a posttranscriptional step 41
 Yasueda H → Takechi S 49
 Yokoyama R, Hirose T, Fujil N, Aspuria ET, Kato A, Uchimlya H: The *rolC* promoter of *Agrobacterium rhizogenes* Ri plasmid is activated by sucrose in transgenic tobacco plants 15
 Zhang H-B, Martin GB, Tanksley SD, Wing RA: Map-based cloning in crop plants: tomato as a model system II. Isolation and characterization of a set of overlapping yeast artificial chromosomes encompassing the *jointless* locus 613
 Zhu T, Schupp JM, Oliphant A, Keim P: Hypomethylated sequences: Characterization of the duplicate soybean genome 638